

EOS NOCUT VV910



CUT RESISTANCE SUPPORT WITH HIGH PERFORMANCE POLYETHYLENE GLOVE - NITRILE-COATING PALM
Ref. VV910



Product specifications

Cut resistance support with high performance polyethylene. Neoprene reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm. Kevlar® thread on all the seams.

COLOUR

Yellow-Grey-Black

SIZE

08, 09, 10, 11

Product Use - Risks



Shock



Cutting / Perforation



Wearing



Second work / craftman



Services / Logistics



Construction / Civil engineering



Heavy industry



Oil / Gas

Product's highlights & user's benefits



Reinforcement between the thumb and index finger and on the palm

Double nitrile coating to work in oil environments:

- First smooth nitrile coating: Oil permeability
- Second foam nitrile coating: Good grip



Protection of the metacarpals 5 J



Flexible reinforcements for better protection against impact and pinching.

Very good resistance to abrasion and cutting

Wash in cold water

8 cm cuff: safety and comfort

Kevlar® thread for a longer durability of the glove



Available only with header card

Protection of the metacarpals about a force of 5 J (One weight of 1 kg on a distance of 50 cm).

Tested under the European standard EN13594 6.8.2 (Hand's back test).

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)



5: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

EN1621-1 Clothing for protection against mechanical shock

References

References	Bar code	COLOUR	SIZE		
VV910JA08	3295249191542	Yellow-Grey-Black	08	60	12
VV910JA09	3295249191559	Yellow-Grey-Black	09	60	12
VV910JA10	3295249191566	Yellow-Grey-Black	10	60	12
VV910JA11	3295249191573	Yellow-Grey-Black	11	60	12