

MO-H Styrene-free hybrid resin. Option 1 ETA Assessed



Assessments:
Material for use:
CHEMICAL
Concrete Cracked Reinforced Solid brick Hollow brick Honeycomb

clay block

Product Material / Covering:

PROFESSIONAL BOX						
	CODE	DIMENSIONS	() a	EAN	PRICE	
e ce	MOH300	300 ml.	12 pcs.	8423533465405	20,440	
6	MOH410	410 ml.	12 pcs.	8423533465412	23,227	
TECHNICAL INFORMATION						
CODE				DIMENSIONS		
MOH300			300 ml.			
	MOH410			410 ml.		

concrete

concrete

CHARACTERISTICS





RECOMMENDED FOR















TECHNICAL DOCUMENTATION



CERT_EOTA https://www.indexfix.com/docs/eta-moh-en.pdf



CERT_EOTA https://www.indexfix.com/docs/eta-moh-brick-en.pdf



CERT_EOTA https://www.indexfix.com/docs/eta-moh-rebar-en.pdf



DOP https://www.indexfix.com/docs/dop-mo-h-en.pdf



OTRAS_HOMS https://www.indexfix.com/docs/rf-moh-en.pdf







OTRAS_HOMS https://www.indexfix.com/docs/wras-moh-en.pdf

SECURITY FILE https://www.indexfix.com/docs/fs-moh-en.pdf

DATA SHEET https://www.indexfix.com/docs/ft-moh-en.pdf



DATA SHEET https://www.indexfix.com/docs/ft-moh-rebar-en.pdf



DATA SHEET https://www.indexfix.com/docs/fta-moh-en.pdf *The data shown in this table are merely informative and do not constitute, in any case, contractual conditions of supply. The references contained in our catalog will be available until end of stock. Our prices do not included value added tax. This will be taxed according to current legislation for local and international transactions.