



MOPUR3 Pure Epoxy 3:1. Option 1 ETA Assessed



Assessments:













Material for use:







Concrete

Cracked concrete

Reinforced concrete

Product Material / Covering:

PROFESSIONAL BOX

	CODE	DIMENSIONS		EAN	PRICE
◎ C €	MOPUR30385	385 ml.	12 pcs.	8423533814326	40,775
◎ C €	MOPUR30585	585 ml.	12 pcs.	8423533814333	59,325

TECHNICAL INFORMATION

CODE

MOPUR30385 MOPUR30585 **DIMENSIONS**

385 ml.

585 ml.

CHARACTERISTICS





RECOMMENDED FOR















Natural stone facade

TECHNICAL DOCUMENTATION



CERT_EOTA

https://www.indexfix.com/docs/eta-mopur3-en.pdf



CERT_EOTA

https://www.indexfix.com/docs/eta-mopur3-rebar-en.pdf



DOP

https://www.indexfix.com/docs/dop-mopur3-en.pdf



OTRAS_HOMS

https://www.indexfix.com/docs/rf-mopur3-rebar-en.pdf



OTRAS_HOMS

https://www.indexfix.com/docs/wras-mopur3-en.pdf



SECURITY FILE

https://www.indexfix.com/docs/fs-mopur3-en.pdf



DATA SHEET

https://www.indexfix.com/docs/ft-mopur3-en.pdf



DATA SHEET

https://www.indexfix.com/docs/ft-mopur3-rebar-en.pdf



DATA SHEET

https://www.indexfix.com/docs/fta-mopur3-en.pdf

*The data shown in this table are merely informative and do not constitute, in any case, contractual conditions of supply. The references contained in our catalog will be available until end of stock. Our prices do not included value added tax. This will be taxed according to current legislation for local and international transactions.