



## Main

Range	Unica
Aesthetic name	Unica Top - Unica Class
Product or component type	R-TV/SAT socket
Device presentation	Mechanism
TV socket type	Individual socket
Colour tint	Aluminium
Condition of use	Parallel distribution systems

## Complementary

TV connector	Male IEC 9.52 mm
SAT connector	Female IEC 9.52 mm
Path attenuation	0.8 dB R signal 10...108 MHz 0.8 dB TV/UHF signal 470...830 MHz 0.8 dB TV/VHF signal 118...470 MHz 1.4 dB SAT signal 950...2400 MHz
DC current flow	In SAT socket
Number per line	1
Number of modules	2 modules
Material	ASA + PC: mechanism cover
Fixing mode	Clip-in
Depth	28 mm
Width	45 mm
Height	45 mm
Embedding depth	18 mm
Net weight	0.073 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

## Environment

IP degree of protection	IP20
IK degree of protection	IK01
Ambient air temperature for operation	15...35 °C
Ambient air temperature for storage	0...35 °C
Environmental characteristic	Ammonia Acetone Window-cleaning fluid Liquid soap Alcohol Petrol Oil Bleach UV resistant
Environmental health and issues	Halogen free
Standards	DIN 45330 UNE 20-523-79 (2e) EMC directive EN 50083-1 R.D. 1/1998 DIN 45325 R.D. 279/1999 EN 50083-2 EN 50083-4

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	74 g
Package 1 Height	4.5 cm
Package 1 width	6.7 cm
Package 1 Length	6.7 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	806 g
Package 2 Height	4.5 cm
Package 2 width	13.6 cm
Package 2 Length	33.3 cm
Unit Type of Package 3	S01
Number of Units in Package 3	20
Package 3 Weight	2.265 kg
Package 3 Height	15 cm
Package 3 width	15 cm
Package 3 Length	40 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
RECh Regulation	<a href="#">RECh Declaration</a>
RECh free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)

---

Environmental Disclosure	<a href="#">Product Environmental Profile</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

---

### Contractual warranty

---

Warranty	18 months
----------	-----------

---