



## Main

Range	Unica
Aesthetic name	Unica Top - Unica Class
Product or component type	R-TV/SAT socket
Device presentation	Mechanism
TV socket type	End-of-line (terminal socket)
Colour tint	Aluminium
Condition of use	Series distribution systems

## Complementary

TV connector	Male IEC 9.52 mm
SAT connector	Female IEC 9.52 mm
Path attenuation	17 dB SAT signal 950...2400 MHz 9 dB R signal 10...108 MHz 9 dB TV/UHF signal 470...830 MHz 9 dB TV/VHF signal 118...470 MHz
DC current flow	In SAT socket
Number per line	1
Number of modules	2 modules
Material	ASA + PC: mechanism cover
Fixing mode	Clip-in
Depth	28 mm
Width	45 mm
Height	45 mm
Embedding depth	18 mm
Net weight	0.073 kg

## Environment

IP degree of protection	IP20
IK degree of protection	IK01
Ambient air temperature for operation	15...35 °C
Ambient air temperature for storage	0...35 °C
Environmental characteristic	Petrol Window-cleaning fluid Oil Bleach Alcohol Acetone Liquid soap Ammonia UV resistant
Environmental health and issues	Halogen free
Standards	EMC directive DIN 45325 UNE 20-523-79 (2e) R.D. 1/1998 EN 50083-1 EN 50083-4 R.D. 279/1999 DIN 45330 EN 50083-2

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	102 g
Package 1 Height	4.4 cm
Package 1 width	6.7 cm
Package 1 Length	6.8 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	1.02 kg
Package 2 Height	4.4 cm
Package 2 width	13.6 cm
Package 2 Length	33.5 cm
Unit Type of Package 3	S01
Number of Units in Package 3	20
Package 3 Weight	2.27 kg
Package 3 Height	15 cm
Package 3 width	15 cm
Package 3 Length	40 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

---

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------	---

---

### Contractual warranty

---

Warranty	18 months
----------	-----------

---