



### Main

Range	Unica
Device application	Power supply
Product or component type	Socket-outlet
Aesthetic name	Unica (standard aesthetic)
Device presentation	Complete product
Socket number	1
Outlet poles configuration	2P + E
Outlet standard	German
Socket additional information	With earth (TTL) + security cover
Outlet standard description	Side earth (TTL)

### Complementary

Rated current	16 A at 250 V AC
Network frequency	50/60 Hz
Number of modules	2 modules
Fixing mode	Clip-in
Colour tint	White (RAL 9003)
Connections - terminals	Screw terminals
Cable cross section	0...4 mm <sup>2</sup> - cable stiffness: flexible 0...4 mm <sup>2</sup> - cable stiffness: rigid
Minimum load breaking capacity	100 operations 1.25 In and 1.1 Un, cos phi = 0.6
Electrical durability	10000 cycles, cos phi = 0.8
Insulation resistance	> 5 MOhm at 500 V
Dielectric strength	2000 V
Material	Polyamide 6: mechanism cover ASA + PC: fixing frame ASA + PC: cover frame

Surface finish	Brilliant
Quantity per set	Set of 1 box
Embedding depth	30 mm
Depth	40 mm
Width	90 mm
Height	80 mm
Net weight	0.088 kg
Surface treatment	Untreated

## Environment

Ambient air temperature for operation	15...30 °C
Ambient air temperature for storage	0...35 °C
IK degree of protection	IK01
IP degree of protection	IP44
Environmental characteristic	Window-cleaning fluid Liquid soap Ammonia Bleach Petrol Alcohol Acetone UV resistant Oil
Environmental health and issues	Halogen free

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	85.4 g
Package 1 Height	5.1 cm
Package 1 width	8 cm
Package 1 Length	9 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Weight	492.75 g
Package 2 Height	12.4 cm
Package 2 width	13.5 cm
Package 2 Length	18.5 cm
Unit Type of Package 3	S03
Number of Units in Package 3	40
Package 3 Weight	4.299 kg
Package 3 Height	30 cm
Package 3 width	30 cm
Package 3 Length	40 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

---

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------	---

---

### Contractual warranty

---

Warranty	18 months
----------	-----------

---