

PROVIDING
INNOVATIVE SOLUTIONS
FOR GROUND SUPPORTING
WORLDWIDE



- GABION BASKETS -

Specifications



- This is a normal specifications and we can manufacture and supply on customers' request

Mesh (mm)	Mesh Wire (mm)	Selvedge Wire (mm)	Lacing Wire (mm)	Max Width (m)
60*80	2.0~2.8	3.0~4.0	2.0~2.2	4
80*100	2.0~3.0	3.0~4.0	2.0~2.2	4
80*120	2.0~3.0	3.0~4.0	2.0~2.2	4
100*120	2.0~3.0	3.0~4.0	2.0~2.2	4
100*150	2.0~3.0	3.0~4.0	2.0~2.2	4
120*150	2.0~3.0	3.0~4.0	2.0~2.2	4

Specifications








- This is a normal specifications and we can manufacture and supply on customers' request

Length	Width	Height	Diaphragm	Volume	Tolerance
2.0m	1.0m	0.3m	1	0.6m ³	
3.0m	1.0m	0.3m	2	0.9m ³	
4.0m	1.0m	0.3m	3	0.2m ³	
2.0m	1.0m	0.5m	1	1.0m ³	L +/- 3%
3.0m	1.0m	0.5m	2	1.5m ³	W +/- 5%
4.0m	1.0m	0.5m	3	2.0m ³	H +/- 5%
1.0m	1.0m	0.5m	0	1.0m ³	
1.5m	1.0m	1.0m	0	1.5m ³	
2.0m	1.0m	1.0m	1	2.0m ³	
3.0m	1.0m	1.0m	2	3.0m ³	
4.0m	1.0m	1.0m	3	4.0m ³	


Applications



1. Control and guide of water or flood
2. Preventing of rock breaking
3. Rock fall protection
4. Water and soil protection
5. Bridge protection
6. Strengthening structure of soil
7. Protection engineering of seaside area.
8. Port project
9. Keep off dust wall
10. roadway protection.



References



References



References



References





www.garfordcablebolts.com



Address	183, SOGO-RI, MOGA-MYUN, ICHEON-CITY, KYEONGGI-DO, SOUTH KOREA
Telephone	+82 (0)31 637 8999
Fax	+82 (0)31 631 0704
Mobile	+82 (0)10 2690 6187
Email	ukhammer@hotmail.com
Web	www.garfordcablebolts.com