
33431 **DIN 7504 K - (similar ISO 15480)** 

## VIS AUTOPERCEUSES TETE HEXAGONALE **AVEC RONDELLE Ø 16**

HEXAGON HEAD WITH EPDM BONDED WASHER Ø 16 SELF DRILLING SCREWS SECHSKANTBOHRSCHRAUBEN MIT FLANSCH UND SCHEIBEN Ø 16 TORNILLOS AUTOTALADRANTES CABEZA HEXAGONAL CON ARANDELLA Ø 16





d	6,3
d2	13,5
k	6,15
S	10
Capacité de perçage	6

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6,3X25	334316,3X25CR3	250	0,904	6,3X60	334316,3X60CR3	250	1,424
6,3X32	334316,3X32CR3	250	1,026	6,3X70	334316,3X70CR3	250	1,568
6,3X38	334316,3X38CR3	250	1,132	6,3X80	334316,3X80CR3	250	1,744
6,3X50	334316,3X50CR3	250	1,350	6,3X100	334316,3X100CR3	250	2,108



6.3x100 : fileté jusqu'à 75mm mini, pointe incluse / threaded until 75mm mini, including point


## Acier Zn

33331

## VIS AUTOPERCEUSES TETE HEXAGONALE **AVEC FORET LONG N°4**

HEXAGON HEAD SELF DRILLING SCREWS WITH LONG DRILL N°4 ECHSKANTBOHRSCHRAUBEN MIT LANGER BOHRSPITZE N°4 TORNILLOS AUTOTALADRANTES CABEZA HEXAGONAL CON LARGA BROCA Nº4





d	5,5 (12)
d2	11
k	5,45
S	8
L1	11-13
Canacitá de percade	Q

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5,5X32	333315,5X32CR3	250	0,534	5,5X60	333315,5X60CR3	250	0,918
5,5X38	333315,5X38CR3	250	0,622	5,5X70	333315,5X70CR3	250	1,062
5,5X50	333315,5X50CR3	250	0,785				

Tél.: +33 (0)4 77 73 35 43 - Fax: +33 (0)4 77 73 15 74 - www.acton.fr Création Acton - Tous droits de reproduction réservés