

# Full Body Harness - H2000

H2000 / 3




## Features:


- According to EN 361 & 358
- C E Approved – C E 0082
- Minimum Breaking Strength of 5000 lbs
- 7 Ways of Adjustments
  - ✓ 2 for the Shoulders
  - ✓ 2 for the Thighs
  - ✓ 2 for the Buttocks
  - ✓ 1 for the Waist
- 3 "D-Rings" (1 Dorsal + 2 for Work Positioning)
- Two colour Harness – Yellow (Shoulder straps) and Blue (Leg straps)
- 45mm Webbing
- Size – Free Size
- Weight: 1.75 kg



One Anchorage point clearly marked "A"



Two "D-Rings" for work positioning only



H2000 / 2



## Features :

- According to EN 361
- C E Approved – C E 0082
- Minimum Breaking Strength of 5000 lbs
- 6 Ways of Adjustments :
  - ✓ 2 for the Shoulders
  - ✓ 2 for the Thighs
  - ✓ 2 for the Buttocks
- 1 Dorsal "D-Ring"
- 1 Frontal Attachment
- Two colour Harness – Yellow (Shoulder straps) and Blue (Leg straps)
- 45mm Webbing
- Size – Free Size
- Weight: 1.3 kg



Two Anchorage points clearly marked "A"

