

## ALPHA VE905



ALPHA 905 NON FLOCK LINED LATEX GLOVE

Ref. VE905



### Product specifications

Latex, chlorinated smooth inside. Length: 30 cm. Thickness: 0,40 mm.

100% natural coloured latex.

#### COLOUR

Natural

#### SIZE

6/7, 7/8, 8/9, 9/10

### Product Use - Risks



Biological chemical particles



Heavy industry



Services / Logistics



Hygiene environment

## Product's highlights & user's benefits

Unsupported latex:

- Waterproof and airtight
- Flexibility, elasticity and extra sensivity

Chlorinated inside :

- Easy to put on
- Reduce allergies risks

Can be used as glove or under-glove against radioactive contamination



0%  
SILICONE



## Certifications and Standards



### PPE DIRECTIVE 89/686/EEC

#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)



#### EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

0: Resistance to abrasion (from 1 to 4)

0: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

0: Resistance to puncture (1 to 4)



#### EN374-2 :2003 Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration



#### EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals

KL: Resistant gloves to permeation by chemicals, tested according to EN374-3

6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

3 > 60 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9

#### EN421 Ionising Radiations and Radio-active Contamination





### REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

#### GLOB MIGR Food contact - Overall Migration

:: Contact with wet or watery food

:: Contact with acidic foods

References

References	Bar code	COLOUR	SIZE		
VE905NA06	3295249009700	Natural	6/7	144	12
VE905NA07	3295249009717	Natural	7/8	144	12
VE905NA08	3295249009724	Natural	8/9	144	12
VE905NA09	3295249009731	Natural	9/10	144	12